

ITEM NO:	HC-S21 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-12V
CURRENT DRAW:	600mA(15W)1200mA(20W)
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	58(W)*67(L)*58(H)mm



ITEM NO:	HC-S22 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	58(W)*67(L)*58(H)mm



ITEM NO:	HC-S24 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	58(W)*68(L)*58(H)mm



ITEM NO:	HC-S25 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA
OUTPUT POWER:	15W
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	69(W)*65(L)*65(H)mm



ITEM NO:	HC-S26 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	74(W)*67(L)*74(H)mm



ITEM NO:	HC-S27 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	74(W)*67(L)*74(H)mm



ITEM NO:	HC-S28 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/115db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	72(W)*69(L)*72(H)mm



ITEM NO:	HC-S29 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	72(W)*78(L)*72(H)mm



ITEM NO:	HC-S30 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA
OUTPUT POWER:	15W
SPL:	106db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	60(W)*80(L)*100(H)mm



ITEM NO:	HC-S31 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/108db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	107(W)*79(L)*75(H)mm



ITEM NO:	HC-S33 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/112db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	91(W)*85(L)*91(H)mm



ITEM NO:	HC-S34 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/115db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	90(W)*123(L)*123(H)mm



ITEM NO:	HC-S35 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/115db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	88(W)*105(L)*88(H)mm



ITEM NO:	HC-S36 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	500mA
OUTPUT POWER:	15W
SPL:	102db/1m@12V
SOUND TYPE:	DUAL TONE
COLOR:	WHITE
SIZE:	110(W)*55(L)*110(H)mm



ITEM NO:	HC-S37 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	500mA
OUTPUT POWER:	15W
SPL:	102dB/1m@12V
SOUND TYPE:	DUAL TONE
COLOR:	WHITE
SIZE:	42(W)*163(L)*127(H)mm



ITEM NO:	HC-S38 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	80(W)*77(L)*82(H)mm



ITEM NO:	HC-S39 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	79(W)*75(L)*75(H)mm



ITEM NO:	HC-S40 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/115db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK
SIZE:	101(W)*106(L)*101(H)mm



ITEM NO:	HC-S55 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA
OUTPUT POWER:	15W
SPL:	110db/1m@12V
SOUND TYPE:	DUAL TONE
COLOR:	WHITE
SIZE:	132(W)*150(L)*132(H)mm



ITEM NO:	HC-S57 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	1200mA
OUTPUT POWER:	20W
SPL:	115db/1m@12V
SOUND TYPE:	DUAL TONE
COLOR:	WHITE
SIZE:	170(W)*185(L)*103(H)mm



ITEM NO:	HC-S58 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	1200mA
OUTPUT POWER:	30W
SPL:	118db/1m@12V
SOUND TYPE:	DUAL TONE
COLOR:	WHITE
SIZE:	200(W)*235(L)*118(H)mm



ITEM NO:	HC-S59 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	1200mA
OUTPUT POWER:	40W
SPL:	125db/1m@12V
SOUND TYPE:	DUAL TONE
COLOR:	WHITE
SIZE:	279(W)*240(L)*175(H)mm



ITEM NO:	HC-S60 ELECTRONIC SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	107dB/110db/1m@12V
SOUND TYPE:	DUAL TONE
COLOR:	BLACK
SIZE:	82(W)*95(L)*115(H)mm



ITEM NO:	HC-B1 BACKUP ALARM
OPERATING VOLTAGE:	DC 12-80V
CURRENT DRAW:	250mA
OUTPUT POWER:	15W
SPL:	93dB/1m@14V
SOUND TYPE:	Beep-Beep TONE/DUAL TONE
COLOR:	BLACK
SIZE:	41(W)*101(L)*67(H)mm



ITEM NO:	HC-BS21 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	58(W)*67(L)*58(H)mm



ITEM NO:	HC-BS22 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/110db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	58(W)*67(L)*58(H)mm



ITEM NO:	HC-BS23 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/115db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	107(W)*79(L)*75(H)mm



ITEM NO:	HC-BS24 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/115db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	58(W)*66(L)*58(H)mm



ITEM NO:	HC-BS26 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/115db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	74(W)*67(L)*74(H)mm



ITEM NO:	HC-BS31 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/108db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	107(W)*79(L)*75(H)mm



ITEM NO:	HC-BS33 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	600mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/112db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	91(W)*85(L)*91(H)mm



ITEM NO:	HC-BS60 BATTERY BACK UP SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	650mA/1200mA
OUTPUT POWER:	15W/20W
SPL:	105db/108db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BACK
SIZE:	68(W)*85(L)*68(H)mm



ITEM NO:	HC-H20 HORN SPEAKER
IMPEDANCE	8/4 OHMS
FREQUENCY	550-4500Hz
OUTPUT POWER	15W/20W
COLOR:	BACK
SIZE:	92(W)*92(L)*92(H)mm



ITEM NO:	HC-H30 HORN SPEAKER
IMPEDANCE	8/4 OHMS
FREQUENCY	550-4500Hz
OUTPUT POWER	15W/20W
COLOR:	BACK
SIZE:	60(W)*80(L)*100(H)mm



ITEM NO:	HC-H40 HORN SPEAKER
IMPEDANCE:	8/4 OHMS
FREQUENCY:	500-5500Hz
OUTPUT POWER:	15W/20W
COLOR:	WHITE
SIZE:	101(W)*106(L)*101(H)mm



ITEM NO:	HC-H50 HORN SPEAKER
IMPEDANCE:	8/4 OHMS
FREQUENCY:	450-6000Hz
OUTPUT POWER:	15W/20W
COLOR:	BACK/WHITE/RED/BULE/GOLDEN
SIZE:	132(W)*120(L)*132(H)mm



ITEM NO:	HC-H55 HORN SPEAKER
IMPEDANCE:	8/4 OHMS
FREQUENCY:	4000-6500Hz
OUTPUT POWER:	15W/20W
COLOR:	IVRY/WHITE
SIZE:	132(W)*150(L)*132(H)mm



ITEM NO:	HC-H58 HORN SPEAKER
IMPEDANCE:	8 OHMS
FREQUENCY:	380-8000Hz
OUTPUT POWER:	30W
COLOR:	IVRY/WHITE
SIZE:	200(W)*235(L)*118(H)mm



ITEM NO:	HC-H59 HORN SPEAKER
IMPEDANCE:	8 OHMS
FREQUENCY:	250-11000Hz
OUTPUT POWER:	40W
COLOR:	IVRY/WHITE
SIZE:	279(W)*240(L)*175(H)mm



ITEM NO:	HC-H60 HORN SPEAKER
IMPEDANCE:	8/4 OHMS
FREQUENCY:	400-7000Hz
OUTPUT POWER:	20W/30W
COLOR:	IVRY/WHITE
SIZE:	82(W)*95(L)*115(H)mm



ITEM NO:	HC-P1 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	108db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK/WHITE
SIZE:	45(W)*60(L)*40(H)mm



ITEM NO:	HC-P2 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	3.8KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	WHITE
SIZE:	85(W)*85(L)*42(H)mm



ITEM NO:	HC-P3 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK
SIZE:	85(W)*85(L)*42(H)mm



ITEM NO:	HC-P4 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	3.8KHz
SPL:	108db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	WHITE
SIZE:	72(W)*62(L)*72(H)mm



ITEM NO:	HC-P5 PIEZO SIREN
OPERATING VOLTAGE:	DC 12-24V
CURRENT DRAW:	20mA
FREQUENCY:	3.8KHz
SPL:	102db/1m@24V
SOUND TYPE:	HIT TONE
COLOR:	BLACK/WHITE
SIZE:	76(W)*36(L)*117(H)mm



ITEM NO:	HC-P6 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	3.8KHz
SPL:	108db/1m@12V
SOUND TYPE:	SINGLE TONE/6-TONE
COLOR:	BLACK&WHITE&RED
SIZE:	54(W)*55(L)*54(H)mm



ITEM NO:	HC-P7 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	3.8KHz
SPL:	108db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK/WHITE
SIZE:	62(W)*85(L)*56(H)mm



ITEM NO:	HC-P8 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK/WHITE
SIZE:	40(W)*23(L)*44(H)mm



ITEM NO:	HC-P9 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK
SIZE:	60(W)*34(L)*60(H)mm



ITEM NO:	HC-P91 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK
SIZE:	59(W)*32(L)*59(H)mm



ITEM NO:	HC-P10 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK
SIZE:	64(W)*33(L)*58(H)mm



ITEM NO:	HC-P11 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK
SIZE:	60(W)*50(L)*60(H)mm



ITEM NO:	HC-P14 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	3.8KHz
SPL:	108db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	BLACK
SIZE:	91(W)*85(L)*91(H)mm



ITEM NO:	HC-P16 PIEZO SIREN
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	130mA
FREQUENCY:	3.8KHz
SPL:	108db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	WHITE
SIZE:	96(W)*135(L)*45(H)mm

STROBE LIGHT



ITEM NO:	HC-L1 STROBE LIGHT
OPERATING OVLTAGE:	DC 6-12V
CURRENT DRAW:	80mA
FLASH FREQUENCY:	100Times/Minute
COLOR:	RED/BLUE/AMBER/CLEAR
SIZE:	φ 72(Dia.)*45(H)mm



ITEM NO:	HC-L2 STROBE LIGHT
OPERATING OVLTAGE:	DC 6-12V
CURRENT DRAW:	140mA
FLASH FREQUENCY:	80Times/Minute
COLOR:	RED/BLUE/AMBER/CLEAR
SIZE:	96(W)*96(L)*90(H)mm



ITEM NO:	HC-G1 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	350mA
FREQUENCY:	3.8KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED&WHITE(METAL)
SIZE:	86(W)*123(L)*63(H)mm



ITEM NO:	HC-G2 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	500mA/300mA
FREQUENCY:	3.8KHz
SPL:	100db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED&IVRY
SIZE:	φ95(Dia)*165(H)mm



ITEM NO:	HC-F FIRE BUTTON
COLOR:	RED
SIZE:	87(W)*87(L)*52(H)mm



ITEM NO:	HC-F-LED FIRE BUTTON
COLOR:	RED
SIZE:	104(W)*92(L)*56(H)mm
LED INDICATOR:	RED & GREEN



ITEM NO:	HC-F1 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	200mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/BLUE&WHITE
SIZE:	72(W)*123(L)*45(H)mm



ITEM NO:	HC-F101 SIREN
OPERATING VOLTAGE:	DC 15-30V
CURRENT DRAW:	30mA
TEMPERATURE	-10℃-50℃
SPL:	88db/1m@24V
SOUND TYPE:	FIRE TONE
COLOR:	RED
SIZE:	82(L)*82(W)*30(H)mm



ITEM NO:	HC-F102 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 15-30V
CURRENT DRAW:	50mA
TEMPERATURE	-10℃-50℃
SPL:	88db/1m@24V
SOUND TYPE:	FIRE TONE
COLOR:	RED
SIZE:	82(L)*82(W)*52(H)mm



ITEM NO:	HC-F103 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 20-28V
CURRENT DRAW:	300mA
TEMPERATURE	-10℃-50℃
SPL:	112db/1m@24V
SOUND TYPE:	FIRE TONE
COLOR:	RED
SIZE:	180(L)*140(W)*68.5(H)mm

Website: http://www.hcsiren.com Email:kama@hcsiren.com MSN: liuqin85@hotmail.com Skype: kama-liu



ITEM NO:	HC-F2 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	250mA
FREQUENCY:	4.0KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED
SIZE:	122(W)*72(L)*36(H)mm



ITEM NO:	HC-F3 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 20-30V
CURRENT DRAW:	95mA
FREQUENCY:	3.8KHz
SPL:	105db/1m@24V
SOUND TYPE:	FIRE TONE
COLOR:	RED
SIZE:	115(W)*134(L)*47(H)mm



ITEM NO:	HC-F3-1 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 20-30V
CURRENT DRAW:	95mA
FREQUENCY:	3.8KHz
SPL:	105db/1m@24V
SOUND TYPE:	FIRE TONE
COLOR:	RED
SIZE:	97(W)*120(L)*51(H)mm



ITEM NO:	HC-F4 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 20-30V
CURRENT DRAW:	95mA
FREQUENCY:	3.8KHz
SPL:	105db/1m@24V
SOUND TYPE:	FIRE TONE
COLOR:	RED
SIZE:	160(W)*128(L)*47(H)mm



ITEM NO:	HC-F5A SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	110mA
FREQUENCY:	3.8KHz
SPL:	105db/1m@14V
SOUND TYPE:	SINGLE TONE
COLOR:	WHITE
SIZE:	121(W)*71(L)*40(H)mm



ITEM NO:	HC-G2-LED SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	120mA
FREQUENCY:	3.8KHz
SPL:	100db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED&IVRY
SIZE:	φ 95(Dia)*165(H)mm

SIREN & STROBE



ITEM NO:	HC-F5B SIREN WITH STROBE
OPERATING	DC 6-14V
CURRENT DRAW:	110mA
FREQUENCY:	3.8KHz
SPL:	105db/1m@14V
SOUND TYPE:	SINGLE TONE
COLOR:	WHITE
SIZE:	126(W)*76(L)*40(H)mm



ITEM NO:	HC-F8 SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	50mA
FREQUENCY:	1.5-3KHz
SPL:	105db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/BLUE&WHITE
SIZE:	91(W)*66(L)*42.5(H)mm



ITEM NO:	HC-F6A OUTDOOR SIREN WITH STROBE
OPERATING	DC 10-16V
CURRENT DRAW:	1400mA
FLASH RATE:	120 Times per minute
SPL:	120db/1m@14V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/ORANGE&WHITE
SIZE:	195(W)*266(L)*95(H)mm




ITEM NO:	HC-F6B OUTDOOR SIREN WITH STROBE
OPERATING VOLTAGE:	DC 10-14V
CURRENT DRAW:	1400mA
FLASH RATE:	115 Times per minute
SPL:	115db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/ORANGE&WHITE
SIZE:	168(W)*278(L)*94(H)mm



ITEM NO:	HC-F6C OUTDOOR SIREN WITH STROBE
OPERATING	DC 6-14V
CURRENT DRAW:	450mA
FLASH RATE:	100 Times per minute
SPL:	115db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/BLUE&WHITE
SIZE:	252(W)*148(L)*64(H)mm



ITEM NO:	HC-F6C1 OUTDOOR SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-14V
CURRENT DRAW:	450mA
FLASH RATE:	100 Times per minute
SPL:	115db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/BLUE&WHITE
SIZE:	252(W)*148(L)*64(H)mm



ITEM NO:	HC-F6D OUTDOOR SIREN WITH STROBE
OPERATING	DC 6-12V
CURRENT DRAW:	250mA
FLASH RATE:	100 Times per minute
SPL:	115db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/BLUE&WHITE
SIZE:	200(W)*110(L)*80(H)mm



ITEM NO:	HC-F7 OUTDOOR SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-12V
CURRENT DRAW:	1100mA
FLASH RATE:	100 Times per minute
SPL:	115db/1m@12V
SOUND TYPE:	WARBLE
COLOR:	RED/BLUE&WHITE
SIZE:	200(W)*155(L)



ITEM NO:	HC-F11 OUTDOOR SIREN WITH STROBE
OPERATING	DC 10-16V
CURRENT DRAW:	1400mA
FLASH RATE:	120 Times per minute
SPL:	120db/1m@14V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/ORANGE&WHITE
SIZE:	215(W)*285(L)*95(H)mm



ITEM NO:	HC-F730 OUTDOOR SIREN WITH STROBE
OPERATING VOLTAGE:	DC 6-12V
CURRENT DRAW:	250mA/450MA
FLASH RATE:	100 Times per minute
SPL:	115db/1m@12V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/BLUE&WHITE
SIZE:	220(W)*300 (L)*53(H)mm



ITEM NO:	HC-F730-F FIRE SIREN WITH STROBE
OPERATING	DC 24V
CURRENT DRAW:	230MA
FLASH RATE:	100 Times per minute
SPL:	115db/1m@24V
SOUND TYPE:	FIRE TONE
COLOR:	RED
SIZE:	220(W)*300 (L)*53(H)mm



ITEM NO:	HC-F650 OUTDOOR SIREN WITH STROBE
OPERATING VOLTAGE:	DC 9-15V
CURRENT DRAW:	300mA
FLASH RATE:	60 Times per minute
SPL:	115db/1m@14V
SOUND TYPE:	SINGLE TONE
COLOR:	RED/ORANGE&BLUE
SIZE:	154(W)*250(L)*68(H)mm

ALARM SENSORS





ITEM NO:	HC-AS-01
DETECTION DISTANCE:	8m (Max)(22°C)
Detection Range:	60°(H) 5°(V)
Operating Voltage:	DC9V(6F22)
Switch Function:	Alarm/Off/Chime

ITEM NO:	HC-AS-02
DETECTION DISTANCE:	8m (Max) (22°C)
Detection Range:	140°
Operating Voltage:	DC9V(6F22)
Switch Function:	Alarm/Off/Chime



DRIVER UNIT



ITEM NO:	HC-D1 DRIVER UNIT
SPECIFICATION:	PIEZO φ 27mm
FREQUENCY:	2.4-4.3KHz
COLOR:	BLACK/WHITE
SIZE:	30(W)*17(L)*30(H)mm

ITEM NO:	HC-D2 DRIVER UNIT
SPECIFICATION:	PIEZO φ 27mm
FREQUENCY:	2.4-4.3KHz
COLOR:	BLACK
SIZE:	41(W)*17(L)*31(H)mm





ITEM NO:	HC-D3 DRIVER UNIT
SPECIFICATION:	PIEZO φ 50mm
FREQUENCY:	2.4-2.9KHz
COLOR:	RED/BLACK/IVORY
SIZE:	54(W)*25(L)*66(H)mm

ITEM NO:	HC-D4 DRIVER UNIT
IMPEDANCE:	4/8 OHMS
VOICE COIL DIMENSION:	φ 25.5mm(Dia.)
MAGNET SIZE:	φ 60*32*10mm(Dia.*dia.*H)
INPUT POWER:	20W/15W
COLOR:	BLACK
SIZE:	68(W)*68(L)*80(H)mm



ITEM NO:	HC-D5 DRIVER UNIT
IMPEDANCE:	4/8 OHMS
VOICE COIL DIMENSION:	φ 25.5mm(Dia.)
MAGNET SIZE:	φ 24.5*3.5mm(Dia. *H)
INPUT POWER:	20W
COLOR:	BLACK
SIZE:	φ 60(Dia.)*37(H)mm



ITEM NO:	HC-D6 DRIVER UNIT
IMPEDANCE:	4/8 OHMS
VOICE COIL DIMENSION:	φ 25.5mm(Dia.)
MAGNET SIZE:	φ 70*32*10mm(Dia.*dia.*H)
INPUT POWER:	20W
COLOR:	BLACK
SIZE:	80(W)*80(L)*53(H)mm



ITEM NO:	HC-D7 DRIVER UNIT
IMPEDANCE:	4/8 OHMS
VOICE COIL DIMENSION:	φ 25.5mm(Dia.)
MAGNET SIZE:	φ 70*32*10mm(Dia.*dia.*H)
INPUT POWER:	20W
COLOR:	BLACK
SIZE:	88(W)*80(L)*60(H)mm



ITEM NO:	HC-D8 DRIVER UNIT
IMPEDANCE:	4/8 OHMS
VOICE COIL DIMENSION:	φ 25.5mm(Dia.)
MAGNET SIZE:	φ 70*32*10mm(Dia.*dia.*H)
INPUT POWER:	20W
COLOR:	BLACK
SIZE:	80(W)*104(L)*60(H)mm




ITEM NO:	HC-D10 DRIVER UNIT
IMPEDANCE:	4/8 OHMS
VOICE COIL DIMENSION:	φ 38.5mm(Dia.)
MAGNET SIZE:	φ 90*45*13mm(Dia.*dia.*H)
INPUT POWER:	40W
COLOR:	BLACK
SIZE:	106(W)*106(L)*72(H)mm



ITEM NO:	HC-D11 DRIVER UNIT
IMPEDANCE:	4/8 OHMS
VOICE COIL DIMENSION:	φ 38.5mm(Dia.)
MAGNET SIZE:	φ 90*45*13mm(Dia.*dia.*H)
INPUT POWER:	40W
COLOR:	BLACK
SIZE:	97(W)*98(L)*63(H)mm

LEAD-ACID BATTERY



ITEM NO:	SEAIED LEAD-ACID BATTERY
DETAILS:	12V 1.2AH
SIZE:	51(W)*97(L)*24(H)mm



ITEM NO:	SEAIED LEAD-ACID BATTERY
DETAILS:	12V 7AH
SIZE:	151(W)*65(L)*95(H)mm

EMERGENCY ALARM



ITEM NO:	HC-EXB1 EXIT BUTTON
COLOR:	WHITE
SIZE:	22(W)*76(L)*15(H)mm



ITEM NO:	PB-54 PANIC BUTTON
COLOR:	WHITE
SIZE:	51(W)*51(L)*27(H)mm



ITEM NO:	HC-190
OPERATING VOLTAGE:	AC 110/220V
CURRENT DRAW:	3A
SPL:	110db
SOUND TYPE:	CONTINUOUS TONE
COLOR:	RED
SIZE:	75(W)*82(L)*83(H)mm



ITEM NO:	HC-290
OPERATING VOLTAGE:	AC 110/220V
CURRENT DRAW:	<500mA at 220V
SPL:	104dB at 1m
SOUND TYPE:	CONTINUOUS TONE
COLOR:	WHITE/GREY
SIZE:	103(W)*63(L)*135(H)mm



ITEM NO:	HC-390
OPERATING VOLTAGE:	AC 110/220V
CURRENT DRAW:	1.0A
SPL:	130db
SOUND TYPE:	CONTINUOUS TONE
COLOR:	RED
SIZE:	132(W)*215(L)*145(H)mm



ITEM NO:	HC-BELL-6 12/24V 127/220V
CURRENT DRAW:	<50mA <50uA
SPL:	95db/1m@24V
SOUND TYPE:	CONTINUOUS TONE
COLOR:	RED
SIZE:	150(φ)mm



ITEM NO:	HC-P2-L
CURRENT DRAW:	160mA
SPL:	105db/1m@24V
SOUND TYPE:	SINGLE TONE
COLOR:	RED
SIZE:	85(W)*85(L)*42(H)mm